



*Elevating Health and Wellness*



**GST Corporation Ltd.**

ISO 9001:2008

ISO 13485:2003

WHO-GMP



## Group Philosophy

### USP



Well established, Flexible & Dynamic Group,  
with a diverse product range covering  
over 2000 products

Highly Professional, Specialised  
& Skilled Manpower of 800 people

9 facilities, covering area of 200,000 sq. ft.

Exporting worldwide to over 60 countries,

Offering contract & OBL / OEM Manufacturing



### QUALITY POLICY

We at **G. S. T. CORPORATION** firmly believe in timely supply of reliable products with innovative features for customer satisfaction.

We shall continuously ensure that the dynamic needs of our customers from all over the globe are met in their full satisfaction by continuously updating & upgrading technology, selecting appropriate processes & implementing the relevant ISO 9001 Quality Management System to provide Quality products at competitive price.



# INDEX:

Product Description	Page No.	Product Description	Page No.
<b>Disposable</b>		<b>Anaesthesia Disposable</b>	
<b>Infusion Therapy</b>		<b>Anaesthesia Disposable</b>	
I.V. Cannula With Wing With Port	5	Guedel Airways	19
I.V. Cannula With Wing Without Port	5	Nasal Oxyzen Catheter	19
I.V. Cannula Without Wing Without Port	5	Suction Catheter	19
I.V. Cannula Without Wing Without Port - Pen Type	5	Spinal Needle	20
I.V. Cannula With Wing With Port With 3 Way Stop Cock	5	Epidural Needle	20
I.V. Cannula Rapido	6	Endotracheal Tube Plain	20
I.V. Cannula Safety	6	Endotracheal Tube Cuffed	20
Three Way Stop Cock Low Pressure	7	Oxygen Mask	21
Three Way Stop Cock High Pressure	7	Venturi Mask	21
Three Way Stop Cock Lipid Resistant	7	Nebulizer Kit With Mask	21
Three Way Stop Cock With Extension Tube	7	Lyrangeal Mask	21
Extension Tubes	7	<b>Electrodes Disposable</b>	
Flow Regulator	7	Liquid Gel ECG Electrodes	22
I.V.Set Economy- 20 Drop Non Vented	8	Solid Gel ECG Electrodes	23
I.V.Set Standard - Micro Vented	8	<b>Consumables</b>	
I.V.Set Superior - Nuovo With Flow Regulator - Vented	8	Latex Examination Gloves	24
Measured Volume Set	9	House Hold Gloves	24
Scalp Vein Set	9	Latex Gynaecological Gloves	24
Syringes	10	Latex Surgical Gloves	24
Syringe Insulin	10	Plaster of Paris Bandages	25
Hypodermic Needle	10	Zinc Oxide Adhesive Bandage	25
<b>Urology</b>		Cotton Rolls	25
Foley Catheter Latex	11	Cotton Balls	25
Foley Catheter Silicon	11	Gauze Bandages	26
External Male Connector	11	Gaze Rolls	26
Urine Bag	12	Elastic Adhesive Bandages	26
<b>Blood Management</b>		Crepe Bandages	26
Blood Administration Set	12	Tongue Depressor - Wooden	26
Blood Collection Needle	12	Applicator Stick - Wooden	26
Needle Holder	12	Bio Hazardous Bag	27
Blood Bags	13	Face Mask Non woven	27
Central venous Catheter Single	13	Umbilical Cord Tape	27
Central venous Catheter Double	13	First Aid Kit	27
Central venous Catheter Triple	13	Urine Container	27
Central venous Kit	13	Stool Container	27
<b>Surgery</b>		Medicine Enevelope	27
Close Wound Suction Unit With 2 Catheter	14	<b>Anaesthesia General</b>	
Abdominal Drainage Set	14	<b>Laryngoscope</b>	
Redon Drain	14	Laryngoscope McIntosh	28
Thoracic Drainage Catheter With Trocar	15	Laryngoscope Miller	29
Thoracic Drainage Catheter Straight	15	Laryngoscope Fiber Optics	30
Thoracic Drainage Catheter Angled	15	<b>Resuscitator</b>	
Yankur Suction Unit	15	Resuscitator Silicon	31
Blood Lancets	16	Resuscitator Rubber	32
Surgical Blades	16	Resuscitator Italian Model	33
Sutures	16	<b>Diagnostics</b>	
<b>Gastroenterology</b>		<b>Scale</b>	
Ryle's Tube	17	Baby Scale With Trouser GST 623	34
Levin's Tube	17	Weight & Height Measuring Scale GST 631	34
Rectal Catheter	17	Baby Scale Tray Type	34
Infant Feeding Tube	17	Baby Weighing Scale Digital Tray Type	34
Stomach Tube	17	Weight Measuring Scale Mechanical/Digital	34
Nelton Catheter	17	<b>Sphygmomanometer</b>	
<b>Others</b>		Sphygmomanometer Mercurial Desk Model	35
Mucus Extractor	18	Sphygmomanometer Aneoriod	35
Umbilical Cord Clamp	18	Sphygmomanometer Aneoriod Big Dial	35
Amniotic Perforator	18	Sphygmomanometer Digital	35
Fistula Needles	18	Sphygmomanometer Mercurial Wall Model	35
		<b>Stethoscope</b>	
		36	
		<b>Lights</b>	
		Pen Torch	37
		Pen Light	37

# INDEX:

Product Description	Page No.
Clark Head Light	37
Clark Head Mirror With Clark Band	37
Head Mirror	37
Head Light	37
Examination Light With Adaptor	37
Stethoscope Pinard Aluminium & Plastic	37

## Scales

Otoscope Mini	38
Otoscope Standard	38
Otoscope Old Model	38
Shali Haemometer	38
Blood Cell Counter	38
Binomag	38
Berger Loupe	38
Haemocytometer	38

## Hammer & Electrodes

Percussion Hammer Neurological	39
Percussion Hammer Nylon Handle	39
Percussion Hammer With Pin & Brush	39
Percussion Hammer Taylor	39
ECG Electrode	39
ECG Electrode With Velcro Band	39

## X - Ray

X - Ray Film Cassette	40
Developing Hanger	40
Intensifying Screen	40
Dark Room Light	40
X - Ray Fixer and Developer	40
X - Ray Sensitive Medical Film	41
Apparels	41
Gloves	42
X Ray Viewer / Illuminators	42

## Home Care

Thermometers	43
--------------	----

## Hospital Equipments

### Suction Unit

Slow Suction Apparatus	44-45
Silicone Cups	45
Electric Suction Unit GST 1	46
Mobile Surgical Aspirator GST MO 1&2	46
Manual Cum Electrical Suction GSTC 3	46
Instavac ABS GST- INV	46
Hand Held Suction Device GST HH	46
Heuer Plus Suction Machine GST HP 2	46
Eterno AC/DC Suction Machine GST Eterno	47
Vacumaxx High Vacuum Suction Machine GST VMX	47
Powervac High Flow Suction Machine GST PV	47
Hi-Vac Pluss GST HVP1	47
Instant Suction Aid AC/DC GST IS1	47
Eurovac With Shock Resistant GST Ev1	48
GSTC Eurovac-A GST EV-A	48
GSTC Multivac GST MV1	48
Non-Tiring Manual Powerd Suction Unit GST P9	48
Slow Suction Unit GST -5	49
Manual Suction Unit GST 4	49
Vaccum Extractor GST 501	49
Vaccum Extractor GST 502	49

### Autoclave

Electrical Autoclave GST 110 Stainless Steel	50
Electrical Autoclave GST 102 Stainless Steel	50
Electrical Autoclave GST 225 Aluminium	50
Electrical Autoclave GST 215 Aluminium	50
Electrical Aluminium Autoclave GST 212	51
Electrical Aluminium Autoclave GST 217	51
Autoclave Stainless Steel Double Walled GST 301	51
Electric Water Sterilizer	51

## Hospital Equipments

### Microscopes

Binocular Microscopes Student Series GST 1	52
Binocular Microscopes Student Series GST 4	52
Inclined Microscope GST -2	53
Stereoscopic Microscope GST -3	53

Product Description	Page No.
Binocular Microscopes Student Series GST 1A	54
Binocular Microscopes Student Series GST 1B	54

## Rubber Products

### Home Care

Hot Water Bag	55
Ice Bag Round	55
Ice Bag Oval	55
Ice Bag Throat	55
Air Cushions	55
Bellow	55
Douche Bag	55
Chloroform Bellows	55
Self Enema Syringes	55

Ring Pessaries	56
ECG Electrode Bulbs	56
Mouth Gag	56
Rebreathing Bag	56
Corrugated Rubber Tube	56
Corrugated Rubber Sheet	56
Poltizer Bag	56
Mackintosh Sheet	56

Ryles Tube	57
Lavine Tube	57
Douche Tube	57
Kellys Douche Pad	57
I.R. Tubing	57
Nelaton Catheter	57
Depezer Catheter	57
Malecot's Catheter	57
Magil Endotracheal Tube	57
Rectal Tube	57
Nasal/Oral Tube	57
Aspeto Syringe	57
Vaginal Douche Spray	57
Infant Syringe	57

### Home Care

B.P. Armlet Bag With Two Tubes	58
Blood Pressur Bulbs	58
Pippete Bulbs	58
Stomach Tube	58
Breast Pump	58
Ear Syringe	58

### Other

Water Bed	59
Air Cushion	59
Ice Bag	59
Air Mattress	59

## Surgical Instruments

### General Instruments

Forceps	60
Scissors	60

### Instrument Sets

Dressing Instrument Set	61
Minor Surgery Set	61
Delivery Instrument Set	61
Abortion Instrument Set	61
Suturing Instrument Set	61
Episiotomy Instrument Set	61
D&C Instrument Set	61
Amputation Set	61
E.N.T.Instrument Set	61
Dental Extraction Set	61
Dissecting Set	61
Vaginal Speculum Graves	61
Vaginal Speculum CuCus	61
Vaginal Speculum Sims	61



- 26G
- 24G
- 22G
- 20G
- 18G
- 17G
- 16G
- 14G




I.V. Cannula  
with wing with port  
Sizes : 14G to 24G



I.V. Cannula  
without wing without port  
Sizes : 14G to 24G

Sizes : 14G to 24G



I.V. Cannula  
with wing without port  
Sizes : 14G to 24G



I.V. Cannula  
with wing with port  
with 3 way stop cock  
Sizes : 14G to 24G



I.V. Cannula  
without wing without port - Pen Type







I.V. Cannula Safety

Sizes : 14G to 24G

26G

24G



I.V. Cannula Rapido Quick Flash

Size : 24 & 26FG

OLD



Traditional I.V. Cannula

Cut in the needle, allows blood to pour out in between the needle and the catheter

NEW



Infants have low B.P. and coupled with thin wall of 26 G, take a lot of time for blood to travel in the traditional flashback chamber





3 way stop cock  
high pressure



3 way stop cock  
low pressure



3 way stop cock  
lipid resistant



3 way stop cock  
with extension tubes



Extension Tubes



**Flow Regulator**

I.V. FLOW CONTROLLER EXTENSION SET

- For precise control of flow rate.
- Available with "Y" injection port for intermittent medication.
- Flow range 5 to 250 ml/hr.







I.V. Set Economy  
without Filter, Plain Bulb



I.V. Set standard  
Latex Bulb, Airvent &  
Better Flow Regulator



I.V. Set Superior  
Micro 60 drops/ml

Options



Y site



Needle Free Y Site Leur Lock








Rotating Leur Lock





**Measured Volume Set**

- Clear calibrated soft cylindrical chamber.
  - Tube length 150cms.
  - Available with "Y" injection port for intermittent medication.
  - Antibacterial air inlet with cap.
  - Automatic shut off valve.
- Capacity : 110 & 150 ml.

-  18G Pink
-  19G Brown
-  20G Yellow
-  21G Green
-  22G Black
-  23G Sea Green
-  24G Red
-  25G Blue



**Scalp vein Set**

Butterfly shaped wings facilitate easy handling and attachment with the skin. Butterfly is connected to soft non toxic, non-irritant, which does not kink or coil set. Thin wall needle for better flow rate per gauge. Sizes : 18FG to 25FG





### Syringes

3 part or 2 part with or without needle, luer lock or luer slip, poly pack or blister pack.

Made of nontoxic medical-grade PP and PE Material in high accurate mould. Clear transparent chamber and graduation ensures dosage accuracy. Friction free movement of plunger insures proper vacuum and minimum dead space

Sizes: 1ml, 2ml, 2.5ml, 3ml, 5ml, 10ml, 20ml, 50ml and 60ml



### Syringe Insulin

Sizes: 1ml



### Hypodermic Needles

High quality stainless steel with sharpness to ensure injections with minimal pain and maximizes patient comfort.

Larger inner diameter for high flow. Color coded hub by size for clear recognition.

Semi-transparent needle-hub for clearness of flashback.

Sizes: 16G, 18G, 20G, 21G, 22G, 23G, 24G, 25G, 26G





Foley Catheter  
2 way

Foley Catheter  
3 way

Made from natural latex, Silicone coated.  
Size: 6 to 26 FR/CH with different balloon capacity



Silicon Foley Catheter  
3 way



Silicon Foley Catheter  
2 way

Made from 100% silicon  
Size: 6 to 26 FR/CH with different balloon capacity



External Male Connector

Available in 25, 30, 35, 40mm. Dia.  
Single or both side adhesive strip.





URINE BAG  
Capacity : 2000 ml.



Urine Bag - Paediatric  
Capacity : 100 ml.



Urine Bag - Leg Bag



Blood Administration Set

20 Drops per ml.  
Antibacterial air inlet with cap.  
Available with or without "Y" injection port  
With 200 micron filter & 18 G needle  
Available with and without arivent



Blood Collection Holder  
with Needles

Blood Collection Needles  
Size: 20G x 1 1/2", 21G x 1", 21G x 1 1/2" 22G x 1 1/2"







Double Blood Bag



Single Blood Bag



Triple Blood Bag



Central Venus Catheter  
Single Lumen



Central Venus Catheter  
Double Lumen



Central Venus Catheter  
Triple Lumen



Complete Set of CVC kit consist of :

- » Y-Introducer needle with check valve
- » J-Tip guide wire
- » Vessel dilator
- » Luer lock syringe
- » Scalpel
- » Catheter holder
- » Catheter holder clamp
- » Injection cap
- » Extension line clamp
- » Guiding Syringe/ LOR Syringe (Optional)





Close Wound Suction Unit Child

Size: 6 & 8 FG



Close Wound Suction Unit

- For close wound drainage under negative pressure post operatively with the option to use one or two catheter simultaneously.
  - Large bellow chamber of 800 ml capacity.
  - Bellow unit with connector, Connecting tube with clamp and "Y" connector, Curved needle with catheter, Spare perforated catheter.
- Sizes : 10, 12, 14, 16 & 18FG



Abdominal Drainage Set

Size: 20, 24, 28, 32 & 36 FG with 2000ml capacity



Redon Drain

Size: 8, 10, 12, 14, 16, 18 FG





- Size : 12, 28 & 32 FG.
- Markings provided at 5, 10 & 15 cms.
- Two lateral eyes for efficient drainage.
- With trocar for easy penetration and handling.

Thoracic drainage Catheter with trocar



Thoracic drainage Catheter with Angled



Thoracic drainage Catheter without trocar

- Length : 45 cms.
- Size : 16FG to 40Fg
- For post operative drainage after cardio-thoracic & thoracic surgery.
- With radio-opaque line and markings at every 2 cms. from the last eye.
- Cross side eyes to prevent tissue aspiration.



Capacity : 110 & 150 ml.

Yankur Suction Unit

- Funnel end connectors at both ends of tubing.
- Tube Length : 2.1 mts.
- Tube size : I.Ø. 5.5. mm. & O.Ø 8.5 mm.






**Surgical Blades**

Size: 9, 10,10A, 11, 11K, 12, 14, 15, 15C, 16, 19, 20, 21, 22, 23, 24, 25, 36  
 Available in Carbon Steel & Stainless Steel



Blood Lancets



Sutures

Absorbable & Non Absorbable, Nylon,  
 Silk,  
 Catgut  
 Plain,  
 Catgut Chromic,  
 Polyglycolic (PGA)

For Reusable Suture Needles . Please refer our other Catalogues.



6FG Sea Green

8FG Blue

10FG Black

12FG White

14FG Green

16FG Orange

18FG Red

20FG Yellow

22FG Violet

24FG Light Blue

26FG White

28FG Green

30FG Light Grey

32FG Orange



**Ryle's Tube**

STOMACH TUBE FOR NASOGASTRIC INTRODUCTION

- Closed distal end with metallic balls sealed into the tube to assist the passage of tube during intubation.
- Four lateral eyes. • Length : 105 cms.
- Sizes : 8FG to 22FG



**Levin's Tube**


GASTRO-INTESTINAL FEEDING TUBE

- With four lateral eyes.
- Length : 125 cms.
- Sizes : 8FG to 20FG




**Rectal Catheter**

- Length : 125 cms.
- Size 18 to 32 FG



**Infant Feeding Tube**

- Sizes : 5FG to 10FG
- FEEDING TUBE FOR PAEDIATRIC AND NEONATAL USE



**Stomach Tube**



**Nelton Catheter**

SHORT TERM URINE DRAINAGE CATHETER

- Length : 40 cms.
- Sizes : 6FG to 20FG



**Mucus Extractor**

- For aspiration of secretion from oropharynx in neonatal cases ensuring free respiration.
  - Convenient to extract mucus specimen for microbiological examination.
  - Separate lid for self sealing of the container.
- Capacity : 25 ml.



**A** Non openable




**B** Openable




**Umbilical Cord Clamp**

CLAMP FOR CLAMPING UMBILICAL CORD

- A. Re-openable model for catheters .
- B. Single closure for umbilical cord .



Amniotic Perforator



**Fistula Needles**

Size: 15, 16, 17FG  
Length 30 cm







Guedel Airways


**Oro-pharyngeal Airway**

For maintaining an unobstructed oropharyngeal airway during general anaesthesia and in unconscious patients.

Bite block to prevent biting of tongue and airway occlusion.


Color coded for easy identification of sizes

Sizes : 00, 0, 1, 2, 3, 4



Nasal Oxygen Catheter

- Soft & ergonomically shaped twin prong nasal tips.
- Tube Length : 2 mts., green color.



**SUCTION CATHETER with Thumb Control**  
ENDO BRONCHIAL SUCTION CATHETER

- Length : 52 cms.
- Sizes : 6FG to 20FG



Sizes : 6FG to 20FG

**SUCTION CATHETER (Plain)**  
ENDO BRONCHIAL SUCTION CATHETER

- Length : 52 cms.

Anaesthesia

- 000 Violet
- 00 Blue
- 0 Black
- 1 White
- 2 Green
- 3 Orange
- 4 Red
- 5 Yellow

- 6FG Sea Green
- 8FG Blue
- 10FG Black
- 12FG White
- 14FG Green
- 16FG Orange
- 18FG Red
- 20FG Yellow
- 22FG Violet
- 24FG Light Blue
- 26FG White
- 28FG Green
- 30FG Light Grey
- 32FG Orange







Spinal Needle  
Size : 16G to 27G x 3.5 needle



Epidural Needle  
Size : 16G to 27G x 3.5 needle



Endotracheal Tube Plain

Made from non-toxic transparent soft and smooth PVC.  
Radio opaque line through the length for X-ray visualization.  
High volume cuff provides positive tracheal wall seal.  
Size available from ID: 2 to 11 mm



Endotracheal Tube cuffed





Oxygen Mask  
Size: Adult & Child  
Tube Length : 210 cms.



Venturi Mask



Nebulizer Kit with Mask  
Size: Adult & Child  
Tube Length : 210 cms.



Laryngeal Mask  
Size: 1, 1.5, 2, 2.5, 3, 4 & 5





### Liquid Gel ECG Electrodes

Gel ensures that there is good electrical contact between the skin and the sensor - and we provide both Liquid and solid gel depending on the specific need.

#### Liquid Gel Long Term - LGLT

A Thick Liquid gel designed for long term procedures and stress testing. our special formulation provides good electrical response and reduces skin impedance. This helps avoid baseline drift and provides a fast and accurate ECG the first time - Every time.

#### Liquid Gel Short Term - LGST

A Gel designed specially for short term procedures providing quick-up even with inadequate skin preparation.

Category	Suggested Use	Code	Dimensions	Price
----------	---------------	------	------------	-------

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT	57x38x1mm	
----------------------	-------------------------------	-------	-----------	--



GLGLT 10

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT 20	50x38x1mm	
----------------------	-------------------------------	----------	-----------	--



GLGLT 20

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT 30	50x48x1mm	
----------------------	-------------------------------	----------	-----------	--



GLGLT 30

Liquid Gel Short Term	Echo/Monitoring	GLGST 40	44x32x1mm	
-----------------------	-----------------	----------	-----------	--



GLGST 40

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT 50	45x42x1mm	
----------------------	-------------------------------	----------	-----------	--



GLGLT 50



### Solid Gel ECG Electrodes


Gel ensures that there is good electrical contact between the skin and the sensor and we provide both Liquid and solid gel depending on the specific need.

### Solid Gel Long Term - SGLT

Solid gel or hydro gels are the latest in gel technology. our skin-friendly solid gel minimizes epidermal reactions and makes it easy to remove electrodes without hurting sensitive skin. Solid gel electrodes offer the advantages of both quick and rapid signal pick-up along with consistent high quality recordings with no requirements for post-procedural cleaning up. Solid gel is adhesive, so it increases the adhesion surface size. The sensor-to-skin distance thus remains a constant and further reduces motion.

Category	Suggested Use	Code	Dimensions	Price
----------	---------------	------	------------	-------

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 10	57x38x1mm	
---------------------	-------------------------------	----------	-----------	--



GSGLT 10



GSGLT 20

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 20	50x48x1mm	
---------------------	-------------------------------	----------	-----------	--

Available as Radio Translucent

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 30	50x35x1mm	
---------------------	-------------------------------	----------	-----------	--



GSGLT 30



GSGLT 40

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 40	42x37x1mm	
---------------------	-------------------------------	----------	-----------	--

Solid Gel Short Term	Stress/Holter/Echo/Monitoring	GSGST 50	44x32x1mm	
----------------------	-------------------------------	----------	-----------	--



GSGST 50

- **Backing Adhesive** : Foam, Aggressive
- **Standard Packing** : 50 Electrodes/Pouch, 10 Pouches/Box, 12 boxes/Carton



### Latex Examination Gloves

Powdered / Powder free & sterile / Non Sterile.  
 Beaded Cuff and better grip, 100% inspected.  
 In compliance with ASTM D3577 and BS EN 455 (part 1&2)  
 Sizes: Ex S, S, M, L, Ex L  
 Medium width 95+<sub>-10</sub> Length 24cm  
 100pcs in a dispenser box



### Household gloves

Flock lined / Unlined with Yellow / Green / Blue color  
 Use in Cleaning General Household work, Food Processing & Packing,  
 Manufacturing and Light Assembly  
 Thickness 0.45mm Length 310 mm

### Latex Surgical Gloves

Low powder, low protein, Gamma/ ETO sterilized Natural High grad Latex.  
 Beaded Cuff, Micro rough texture for better grip. 100% inspected  
 In compliance with ASTM D3577 and BS EN 455 (part 1&2)  
 Sizes: 5-9,  
 Width: 67to114 +<sub>-6</sub>, Length 26-29cm Thickness 0.26 to 0.38 mm  
 1 pair (right and left) glove packed in medical grade peel/tear open pouch



### Latex Gynecological Gloves

Gamma/ ETO sterilized Natural High grad Latex. Low powder, low protein  
 Beaded Cuff, Micro rough texture for better grip. 100% inspected  
 In compliance with ASTM D3577 and BS EN 455 (part 1&2)  
 Sizes: S, M L  
 Width: 87to112+<sub>-6</sub>, Length 48-50cm Thickness 0.30-0.50 mm





#### Plaster Of Paris Bandage(p.o.p)

Material: sizing gauze + plaster.

It will be setting within short time, and has good shaping and stability.

Size: 5cm x 2.7m, 7.5cm x 2.7m, 10cm x 2.7m, 15cm x 2.7m, 20cm x 2.7m



#### Zinc oxide adhesive plaster

It's made of cotton, Non woven, silk, paper, PE film and zinc oxide colloid.  
With/Without spool and cover , White/Skin color.  
Strong, 100%cotton woven backing is durable with high tensile strength.  
Hypoallergenic and latex-free.

Size 1.5/2.5/5/7.5/10/15/20cm×4/4.5/5/10m



#### Absorbent Cotton Wool

100% cotton, Snow-white appearance, Soft, Strongly absorbent.  
It is designed as surgical dressing, for cleaning and sterilizing wound  
Individually packed in medical paper or in poly bag

Size 25/50/100/500/1000gm



#### Cotton Balls

100% Cotton

Packing 5pcs , 10pcs/pouch , 100 , 500pcs/polybag

Sterility - Sterile and Non sterile

Size 0.5/0.6/1gm





**Gauze Bandage**

Bandage rolls are made of pure 100% cotton yarn, through high temperature and pressure degreased and bleached, ready-cut, superior absorbency. Comes with x-ray thread and without x-ray thread

Available in different sizes with different mesh sizes



**Adsorbent Gauze Rolls**

Bandage rolls are made of pure 100% cotton yarn, through high temperature and pressure degreased and bleached, ready-cut, superior absorbency. Comes with x-ray thread and without x-ray thread

Available in different sizes with different mesh sizes



**Elastic Adhesive Bandages**

Cotton and urethane elastic fiber.

50g , 60g , 70g , 80g , 90g , 110g , 120g/m<sup>2</sup>

White/Blue/Red/Yellow/Black/Pink.

Size 5/7.5/10/15/20cm×4.5m



**Cotton Crepe Bandages**

100% cotton, 70g , 75g , 80g , 90g , 100g , 105g , 120g/m<sup>2</sup>,

With/Without clips,

Bleached/Unbleached/Skin color.

Size 5/7.5/10/15/20cm×4m and 5/7.5/10/15/20cm×4.5m



Wooden Tongue Depressor



Applicator Stick





Umbilical Cord Tape



Bio Hazardous Bag  
Size : Available in different sizes



First Aid Kit



Face Mask Non Woven  
Size : 2 ply and 3 ply



Urine Container



Medicine Envelope



Stool Container



Laryngoscope McIntosh



Pouch Packing



Stainless Steel  
Blades and handle



LED Bulb  
New




100 mm




MC - 1

108 mm




MC - 2

135 mm



MC - 3

160 mm



MC - 4

**Advantages:**

1. Blades and contacts of stainless steel, therefore wear-resistant
2. Can be sterilized upto 180°C
3. Optimal exploitation of light-source

**Now also available in LED**

**Advantages:**

1. Very Low Battery consumption, enhancing battery life.
2. Higher LUX.
3. Available in White light, warm white light.




Laryngoscope Miller



Stainless Steel  
Blades and handle



← 75 mm →



M - 0

← 100 mm →



M - 1

← 150 mm →



M - 2

← 195 mm →



M - 3

← 230 mm →



M - 4

**Advantages:**

1. Blades and contacts of stainless steel, therefore wear-resistant
2. Can be sterilized upto 180°C
3. Optimal exploitation of light-source

**Now also available in LED**

**Advantages:**

1. Very Low Battery consumption, enhancing battery life.
2. Higher LUX.
3. Available in White light, warm white light.





## Laryngoscope Fiber Optics



Laryngoscope Mc-Intosh is a self-contained Class - 1 medical device for endo-tracheal intubation. All blades & Handles are made from 304 Grade S stainless steel. The Device is made on GREEN STANDARDS & conforms to the ISO fitment Standards and is available in various sizes, MC-0,1,2,3,4,5 (with one, two, three, or four Fibre optic blades in a set) according to patient's size. Spares are available separately. The Device is sold without batteries (Use standard "C" Type Alkaline battery, 1.5 volts DC). They are required to power the Halogen Bulb, illuminating the oral cavity for better viewing. Light is not indispensable to operate but only enhances / simplifies operations.



Resuscitator Silicon  
( Autoclavable )



SM -00



SM - 0



SM - 01



SM - 02



SM - 03



SM - 04



Infant



Child



Adult



Resuscitator Box



Reservoir Bag



Silicon Tubing





Resuscitator Adult GST-1



Resuscitator Child GST-2



Face Mask



Rebreathing Bag

Resuscitator  
Rubber - Italian Model



Adult



Child



Corrugated tube  
Size: 10 cm, 30 cm, 105 cm



Height Measuring Scale  
GST 631



Digital Weighing Scale



Baby Scale with trouser  
GST 623



Manual Weighing Scale



Baby Weighing Scale  
GST 631



Weight Measuring Scales  
(Big Dial )



Digital Weighing Scale



Baby Scale Tray type  
Size : 10kg, 16kg & 20kg





Sphygmomanometer Mercurial  
Desk Model



Sphygmomanometer Anaroid



Digital B.P. Monitor



Sphygmomanometer  
Anaroid Big Dial





Stethoscope Microdual  
Stainless Steel



Stethoscope Microdual  
Gold Fish



Stethoscope Microdual  
S.F. (Spring Outside)



Stethoscope Microdual  
S.F. "J" Type



Stethoscope Microdual  
S.F. Pediatric



Stethoscope Microdual  
C.P.



Stethoscope Microdual  
Regular



Stethoscope Microdual  
Bell Type



Stethoscope Mono  
Single C.P.







Pen Torch



Pen Light



ClarkHead Mirror with Clark Band



Clark Head Light



Head Mirror



Head Light



Stethoscope Pinard Aluminium  
Stethoscope Pinard Plastic



Examination light





Otoscope Mini



Otoscope Standard




Otoscope  
Old Model



Shall Haemometer



Binomag



Blood Cell Counter



Berger Loupe



Haemocytometer





Percussion Hammer Neurological



Percussion Hammer Nylon Handle



Percussion Hammer Taylor



Percussion Hammer with Pin & Brush



ECG Electrode



ECG Electrode with Velcro Band



## X-RAY FILM CASSETTE

### FEATURES



Adopts special plastic connecting angles, anti-pounding.  
 It is contacted evenly with its specially made high-elasticity sponge pad.  
 Imaging stably & clearly. The imaging layer is clear as well.  
 The sponge pad is specially treated. It can protect the intensifying screen not to be damaged.  
 Adopts the entire plane grid chart testing technique to insure the quality of products.

**special sizes can be made according to the client's**



with window




## INTENSIFYING SCREEN



### X Ray Fixer & Developers

- \* Manual & Auto Processing of X Ray films.
- \* Liquid & powder forms available



- BLUE
- CALCIUM TUNGSTATE BLUE 100
- RARE EARTH BLUE 200/400
- RARE EARTH GREEN 500

## DEVELOPING HANGER




## DARK ROOM LIGHT




X-RAY SENSITIVE MEDICAL FILMS

Green  
Blue Sensitive - High Speed  
Infra Red Laser Film



Blue - Spectral sensitive curves



Green - Spectral sensitive curves



X-RAY  
LEAD APRON



X-RAY GLOVES



## X-RAY VIEWER / ILLUMINATOR

### SLIM

With the most advanced clipping device

#### FEATURES

- The thickness is 8cm only, saving space.
- The luminance of screen is brighter, the light is distributed evenly.
- Adopting with general standard of fluorescent lamp tube, easy to change.

**SIZE :** Single, Double, Triple, Quadruple

**TYPE :** Ordinary, Step Adjusting, Digital



Ordinary type



Step adjusting type



Digital button-press  
Adjusting type



**Slim**

8 cm

## X-RAY VIEWER / ILLUMINATOR

### REGULAR

With the most advanced clipping device

**SIZE :** Single, Double, Triple, Quadruple

**TYPE :** Ordinary, Step Adjusting, Digital



Ordinary type



Step adjusting type



Digital button-press  
Adjusting type



- Films are easily to be inserted, taken out, and clipped firmly.
- The screen is made of import white polymethyl methacrylate plate ,it is bright and clean . Anti-ultraviolet ray, and never fade in color.
- viewer body in aluminum-alloy with a beautiful deign.
- The product is designed reasonable, and easily to maintenance.






Thermometer Digital



Thermometer Rectal



Thermometer Oral



Manual Eye Chart

GST 641 ILLITERATE Type  
 GST 642 LITERATE Type



Sitz Bath



### Slow Suction Apparatus Aspirator 30



Model GST-6

Heuer Aspirator 30 is ! Suitable for minor surgical applications and postoperative therapy and tracheotomized patients. ! To be used for aspirating body fluids only such as, mucus etc. ! Easily, portable, equipment designed for long continuous use.

#### Salient Features and Construction


- A. Made of highly heat-resistant, electrically insulated ABS plastic material.
- B. Supplied with a polycarbonate 2-litre autoclavable jar complete with overflow valve.
- C. Equipped with aspiration regulator (for slow & fast aspiration as required ) and Vacuum gauge.
- D. Oil free piston-cylinder motor pump.
- E. Vacuum capacity of 600 - 650 mm Hg.
- F. High flow rate of 30 liters / minute.

#### Technical Characteristics

Model	Aspirator 30 (GST-6)
Dimensions	38 x 21 x 31 cm
Weight	4.7 kg
Power Supply	230V - 50 Hz
Pump	Oil free, Piston - Cylinder type
Motor	1/8 HP-110 Watts - 0.6 Ampere.
Suction Pressure Maximum	650mm Hg approximate
Suction flow rate Maximum	30 L/min approximate
Fuse	1 x 2A

### Operating Instructions

- Connect the short silicone tube with the filter ① to the aspirator outlet ② the other end of the tube must be connected to the outlet (vacuum) ③ with the vessel cap float.
- Connect the long silicone tube to the other end of the tube ④ to the other outlet ⑤ of the vessel cover (the outlet without the float)
- Attach the probe ⑥ connection.
- Connect the plug to the electrical mains supply ⑦
- Switch on the equipment ⑧



### Accessories supplied along with the Unit

DESCRIPTION
1 x 2 ltr Poly Carbonate Jar
1 x 2 Power Cord (5 Amp. rating)
2 x Fuse ( 1 additional, in the fuse box)
1 x Anti-Bacterial Filter
1 x 1 mtr Silicone Tube Autoclavable
1 x Aspiration Probe (Brass-Chrome plated) (optional)
1 x Conical Connection attachment Catheter/probe
2 x Suction Catheter (Disposable) (optional)
1 x Owner's Manual



Silicone Cup with Release Valve  
Sizes : 50mm & 60mm

Silicone Cup  
Sizes : 50mm & 60mm



**MOBILE SURGICAL ASPIRATOR**  
GST MO1 & MO 2

High Vacuum, High Flow, Power Feeding 220 V 50 Hz, Piston/Cylinder Vacuum Pump, Continuous Operating Cycle, Adjustable Vacuum level 0 - 760 mmHg, Air Flow 60 L/Min, Jar 2 x 2000 ml Poly Carbonate Jars

MOBILE SURGICAL ASPIRATOR with Foot Pedal with GST Mo1



**Instavac ABS**  
GST INV

Shock proof, Light Weight ABS (Plastic) Cabinet  
Rocker Piston Pump with  $-720 \pm 10$  mm Hg  
Free air displacement 40 ~ 45 LPM  
Noise level of suction Machine is  $50 \text{ dB} \pm 03 \text{ dB}$   
Electrical Requirement - 220~230VAC, 50Hz, 1Phase  
Heavy duty HN-50 PU Castors  
76 mm Calibrated Vacuum Gauge  
Non collapsible Suction Tubing  
2 X 2.0 Ltrs Polycarbonate jars with overflow safety  
Packing Size: 50 X 40 X 84 CM  
Gross weight: 28 Kg



**Manual Cum Electric Suction**  
GSTC 3

Offers two separate suction systems. On manual mode creates 600 mm Hg pressure (1.5 ltrs jar) & 700 mm Hg (3 ltrs jar) on electric.



**Hand Held Suction Device**  
GST HH

It is a new emergency product. Portable, powerful and economical  
It works only by hand pressure and permits to achieve a depression of  $-0.6 \text{ mbar}$   
Delivered with a washable 300 ml jar  
Thanks to its "GUN shape, it is possible to use only by one hand  
It is possible to be connected to the catheters and to the endotracheal tube



**Heuer Plus Suction Machine**  
GST HP 2

SS Top Housing: Powder coated MS Cabinet with SS Top.  
Capacity:  $-710 \text{ mmHg} \pm 10$  at 30~35 LPM  
Noise Level:  $<50 \text{ dB A} \pm 3$  almost whispers  
Pump Type: Noiseless Rotary Vane Pump  
Jars: Polycarbonate 2 x 2.5 liters capacity with mechanical over flow system & ABS Lid  
Filter: Reusable Bacterial Filter  
Tubing: Non - Collapsible Suction Tubing  
Vacuum Gauge: 2.5inch, 0-760 mmHg  
Power: 220/230V AC, 502Hz, 1Ph





GST Eterno

### Eterno AC/DC Suction Machine

Portable Suction Machine for emergency surgical aspiration. It can operate at 12 V (car / ambulance) power supply, rechargeable battery or directly by mains supply. Its oil free piston pump ensures high performance and long life. Up to 60 minutes of autonomy with fully charged battery. 99% antibacterial filter Equipped with autoclaveable jar and safety valve.

### Vacumaxx High Vacuum Suction Machine

2 X 2.0 Ltrs. Polycarbonate jars (Long Type) with overflow safety  
 Noise level of suction apparatus from is 50 dB +/- 03 dB  
 Rocker Piston Vacuum Pump with -710 +/- 10 mmHg  
 Anti corrosive & Powder Coated Mild Steel Trolley  
 Electrical Requirement - 220~230V, 50Hz, 1Phase  
 Ideal for MTP / medical / surgical procedures  
 Heavy duty HN-65 Castors with brakes  
 Free air displacement 30 ~ 35 LPM  
 Non collapsible Suction Tubing  
 63 mm Vacuum Gauge  
 Bacterial filter fitted



GST VMX



GST PV

### Powervac High-Flow Suction Machine

Powder Coated Mild Steel Heavy Cabinet  
 Noise level of suction Machine is 50 dBA +/- 03 dBA  
 2 X 2.0 Ltrs. Polycarbonate jars with overflow safety  
 Rocker Piston Pump with -730 +/- 10 mm Hg  
 Electrical Requirement - 220~230V, 50Hz, 1Phase  
 Free air displacement 60 ~ 65 ltrs/min  
 Non collapsible Suction Tubing. Heavy duty HN-50 Castors  
 50 mm Vacuum Gauge. Ideal for MTP / medical / surgical procedures

### Hi-Vac Pluss

Housing: Plastic moulded cabinet  
 Capacity: -600 mm Hg ± 10 mm regulable, flutter free vacuum control knob,  
 30 / 60 ltrs / min  
 Pump type: Double diaphragm pump  
 Jar: 2 x 2.5 ltr. wide mouthed (Polycarbonate) with changeover lever. Provided with handle for hygiene while emptying / cleaning. Safety jar with mechanical / electronic overflow motor shut off system and autoclavable bacterial filter.  
 Tubing: 10 mm ID x 2 mtr. (PVC)  
 Vacuum Gauge: Bourden type 6.25 cm dia 0-760 mm Hg calibration.  
 Power: 220 V, 50 Hz, Single Phase, Noise Level: 60 dBA ± 3  
 Dimension & Weight: 46 x 32 x 86 cms, 18 Kg. (30 / 60 Ltr / Min)



GST HV P1

### Instant Suction Aid AC / DC

Housing: Engineering moulded ABS plastic cabinet with built-in handle & jar hangers  
 Capacity: 0-575 mm Hg ± 10 regulable at 14 ltrs / min.  
 Pump Type: Oil-free Piston Pump  
 Jar: 1 ltr. collection jar (Polycarbonate) with mechanical / electronic overflow motor shut-off system with autoclavable bacterial filter.  
 Vacuum Gauge: Bourden type 5 cms. 0-760mm Hg calibration.  
 Power: 220 V, AC and inbuilt maintenance-free 12 VDC, 2.2 Ah battery, or ambulance / car socket (cable provided). (110 V on request)  
 Dimension & Weight: 33 x 14 x 30 cms. 7 kg  
 Battery Back up: 120 minutes on full charge  
 Supplied in an attractive carry bag



GST IS 1

### Eurovac with Shock Resistant



GST EV 1

Compact, Lightweight, Powerful and Non-Corrosive. ABS Case.  
 Capacity: -575 mm Hg  $\pm$  10 at 25 ltrs / min.  
 Pump type: Oil-free diaphragm pump  
 Jar: Wide mouthed autoclavable 2 ltr. collection jar (Polycarbonate), safety jar with mechanical / electronic overflow motor shut-off system with reusable / autoclavable bacterial filter. Tubing: 8 mm ID X 2 mtr. (Silicon)  
 Vacuum Gauge: 6.25 cms (2.5 inch). 0-760 mm Hg calibration.  
 Power: 220 V AC, 50 / 60 Hz, 125 watts. (110 V on request),  
 Dimension & Weight: 23 x 42 x 36 cms. 7.5 kg.



GSTC Eurovac-A  
GST EV-A

AC / DC Suction Unit for Hospitals, Ambulance, Camps, Homecare etc.  
 Housing: MS powder coated cabinet.  
 Capacity: -575 mm Hg  $\pm$  10 Vacuum 14 ltrs / min.  
 Pump type: Oil-free piston pump  
 Jar: Autoclavable 0.5 ltr. collection jar (Polycarbonate) with mechanical / electronic overflow motor shut-off system with autoclavable bacterial filter.  
 Tubing: 8 mm ID X 2 mtr (Silicon)  
 Vacuum Gauge: Bourden type 5 cms. 0-760 mm Hg calibration.  
 Power: Operates on 220 V AC and in-built maintenance-free 12 VDC 4.5 Ah (2 x 6 V, 4.5 Ah) battery, 55 watts. (110V on request)  
 Dimension & Weight: 45 x 15 x 25 cms. 6 Kg.  
 Battery Backup: 120 minutes on full charge  
 Provided with AC adapter and cigarette lighter socket cable for use in ambulance / car. Can be hung in ambulance.  
 Vacuum Gauge: Bourden type 5 cms. 0-760 mm Hg calibration.  
 Power: 220 V, AC and inbuilt maintenance-free 12 VDC, 2.2 Ah battery, or ambulance / car socket (cable provided). (110 V on request)  
 Dimension & Weight: 33 x 14 x 30 cms. 7 kg  
 Battery Back up: 120 minutes on full charge.  
 Supplied in an attractive carry bag



GSTC Multivac  
GST MV 1

Portable AC / DC / Pedal Suction Unit for Ambulances, Hospitals, Camps, Trains, Home care etc.  
 Housing: MS Powder coated cabinet  
 Capacity: Electrical: 0-575 mm Hg  $\pm$  10, Vacuum 14 ltr / min.  
 Pedal: 150 ml per stroke volume  
 Pump type: Oil free Piston Pump (Electrical) & Piston pump (Pedal)  
 Jar: Wide mouthed autoclavable 2 ltr collection jar (Polycarbonate), safety jar with mechanical / electronic overflow motor shut off system and bacterial filter.  
 Power: Operates on 220 V AC and Pedal (manual). In-built maintenance free 12 V DC, battery. 55 Watts.  
 Battery Backup: 120 minutes on full charge.  
 Dimension & Weight: 44 x 28 x 27 cms, 9.5 Kg.  
 Provided with AC adaptor and cigarette lighter socket cable for use in ambulance / car. Can be hung in ambulance or on wall.

### Non-Tiring Manual-Powered Suction Unit.



GST P9

Housing: Engineering plastic moulded parts - non corrosive, easy to dismantle, clean, disinfect and reassemble.  
 Capacity: vacuum - 600 mm Hg  $\pm$  10 with avg. stroke volume of 200 ml.  
 Jar: Autoclavable 1 X 1 ltr. jar (Polycarbonate)  
 Tubing: 8 mm ID X 2 mtr. (Silicon),  
 Vacuum Gauge: Bourden type, 5 cms 0 - 760 mm Hg  
 Dimension & Weight: 32 x 17 x 30 cms. 2.5 kg.  
 Portable pedal unit with top view manometer visible to the operator.  
 Bacterial filter (0.3 micron with single use / autoclavable housing)  
 Ease of operation





GST 4 Manual Suction Unit

Twin bottle portable foot suction with efficient piston to create up to 600 mm Hg vacuum.



GST 5 Slow Suction Unit

Single 1.5 ltrs bottle creates up to 400 mm Hg vacuum.

GST 501

Swedish model available in set of 3 / 4 cups (dia 30, 40, 50 & 60mm) in a wire mesh hanger model.



Vacuum Extractor 501



Vacuum Extractor 502

GST 502

Regular model available in set of 3 / 4 cups (dia 30, 40, 50 & 60mm) in velvet lining carry box.

### Stainless Steel Autoclaves

Available In Electric And Non Electric Models In Two Sizes :

- 30 x 30 cms
- 30 x 35 cms

Seamless construction ensures bacteria free environment the unit is fitted with pressure gauge, safety valve & with rotational lid locking device with rubber gasket.



GST 110



GST 102

### Aluminium Autoclaves Series 200

Available In Electric And Non Electric Models In Various Sizes

Model	Size	Description
211	22.5 X 16cms	N/ E only
212	22.5 x 27.5cms	N/ E only
215	30 x 30cms	Winged nuts
217	30 x 30cms	Rotational lid
219	30 x 35cms	Winged nuts
225	30 x 65cms	Epoxy coated
226	30 x 65cms	Bright finish



GST 215



GST 225

Seamless construction ensures bacteria free environment. The unit is fitted with pressure gauge, safety valve (weighted) pressure release valve & rubber gasket for seamless / leak proof fitting.







Aluminum Autoclave  
GST 212

Size : 22.5 x 27.5  
Non Electric only, Pressure cooker type



Aluminum Autoclave  
GST 217

Size : 30 x 30 with rotational Lid  
Non Electric only, Pressure cooker type



Electric Water Sterilizer

Stainless steel water boiling sterilizer are available both in seamless & jointed construction in various options such as non-electric, electric, automatic water cut off, thermostat control & auto tray lifting.



GST 301

Autoclaves  
Stainless Steel Double Walled Jointed

**GST 301** : Jointed double walled high pressure stainless steel sterilizer / autoclave. Available in various sizes.

Also Custom Made To Specifications



### Binocular Microscope Student Series

Model GST -1 Binocular Microscope is of entirely latest design of superb quality and excellent craftsmanship for unprecedented performance. Its precise and international standards and dimensions presents a magic appearance and matchless superiority in performance. The high quality parafocaled optical components give an excellent brighter and sharp image and are highly corrected for chromatic aberration and assure highest resolution & flatness of field required for various research and clinical work.

#### TECHNICAL FEATURES:

- Very superior Indian, with international standards, Binocular head rotatable through 360° and interchangeable for Trinocular, or Monocular, or straight tubes.
- Extra large stage of 130 x 130 mm, providing ample space, with a detachable mechanical stage of extra superior quality. Fine adjustable graduated 0-50 knob for slow motion and separate double -knobs for coarse movements. Extra heavy revolving nose piece of international Threadings, with positive click stop giving frictionless, uniform and accurate alignment.
- Double lens, best superior Abbe condenser with iris diaphragm and swing out filter holder focussed by rack and pinion substage.
- Heavy sturdy stable base having a built in base illumination built in 12 V to 21V.
- Enclosed rack and pinion in dust and dirt proof enclosure. Present coarse rack lock saves valuable slides and objectives.
- Complete, fitted in durable plywood storing cabinet with apartments for optics.
- Mechanical stage graduated for silde.



MODEL GST-1

### Student Microscope

Model GST -4 Student Microscope Fixed Condensor is a general Student Microscope which finds a wide application for students of Biological, Medical and Agricultural Institutions with the following features.

#### TECHNICAL FEATURES:

- Heavy Pattern. Versatile designed monocular body; 90° inclinable with a V-shape base; Total Height 32 cm.
- Mechanical tube length 160 ± 1 mm. Interior dia. 40 mm.
- Rack and pinion coarse motion and lever type fine adjustment.
- Coarse focus range 25 mm. Fine focus range 2 mm.
- Triple revolving nose piece with positive click stop.
- Square specimen stage size 120 mm x 120 mm.
- Two lens Abbe condensor N.A. 120 with continuously variable iris diaphragm and swingout filter-holder. Safety stopper, prevents damage to slide and objectives.
- A standard plano-concave mirror in fork replaceable by a sub-stage microscope lamp. Complete with plywood storing cabinet having provision for placing micro-optics.



GST-4





GST-2

#### Inclined Microscope

Most Convenient for general Laboratory Research, Hospital and Pathology, Hematology, Bacteriology & Medicine work.

#### Technical Features:

Inclined monocular tube, rotatable through 360° and interchangeable for a Binocular Head or Vertical tube for micro-photography. Fine adjustment through graduated knob.

Quadruple revolving nose piece with positive click stop, bearing mounted for smooth, accurate alignment.

Large rectangular stage, size 130mm x 130 mm, with an attachable mechanical stage with co-axial adjustment for slide manipulation.

Two Lens Abbe Condenser with iris-diaphragm and swingout filter holder, focussed by rack and pinion substage.

Heavy oblong sturdy base having a built in base illumination on 220 volts AC direct mains with special eccentric ring-setting for light.

Enclosed rack and pinion prevents wear due to dust and dirt. Present coarse rack lock prevents damage to valuable slides and objectives.

Complete with a beautiful storing cabinet having provision for placing micro-optics.

#### Stereoscopic Microscope

Magnifications 25x or 35x, further extension possible.

The stereoscopic microscope is suitable for innumerable specific applications where stereoscopic vision viz. a three dimensional, erect image is required.

#### Technical Features:

Strong microscope stand of medium size with built in carrying handle sturdy base and modern finish.

Binocular head is of straight type and interpupillary distance of each tube can be adjusted within 50 mm -75

Image focussing by means of rack and pinion.

Long working distance allows convenient working.

Large stage with black and white plate and 2 clips to hold the specimen.

Polished wooden cabinet with lock, keys and carrying handle.



GST-3

Model GST - 1A Binocular Microscope is same as GST - 1 but with co-axial mechanical stage

#### Technical Features:

Very superior Indian, with international standards, Binocular head rotatable through 360° and interchangeable for Trinocular, or Monocular, or straight tubes.

Extra large stage of 130 x 130 mm, providing ample space, with a co-axial mechanical stage of extra superior quality.

Fine adjustable graduated 0-50 knob for slow motion and separate double knobs for coarse movements. Extra heavy revolving nose piece of international Threadings, with positive click stop giving frictionless, uniform and accurate alignment.

Double lens, best superior Abbe condenser with iris diaphragm and swing out filter holder focussed by rack and pinion substage.

Heavy stable base having a built in base illumination built in 12 V to 21V.

Enclosed rack and pinion in dust and dirt proof enclosure. Present coarse rack lock saves valuable slides and objectives.

Complete, fitted in durable plywood storing cabinet with apartments for optics.

Mechanical stage graduated for slide superior.

#### GST-1B

Same as GST - 1 but with co-axial mechanical stage and co-axial fuse /co-axial focusing.



GST-1A





Hot water Bot



Ice Bag Round



Ice Bag Oval



Ice Bag Thorat



Air Cushions



Bellows



Douche Bag



Self Enema Syringe



Chloroform Bellows







Ring Pessary Inflated



Ring Pessary Red



Ring Pessary Black



Ring Pessary Silicon



Silicon Vaginal Ring Pessary



E C G Electrode Bulbs



Mouth Gag



Corrugated Rubber Tube



Rebreathing Bag




Comugated Ruber Sheet



Mackimosh Sheeting



Poltizer Bag







Ryles Tube



Lavine Tube



Douche Tube



iR.Tubing



Nelaton Catheters



Depezer Catheters



Malecot's Catheters



Kellys Douche Pad



Magil Endotracheal Tube



Rectal Tube



Asepta Syringe



Vaginal Douche Spray



Infnt Syringe 20z





B.P. Armlet Bag With Two Tubes



Blood Pressure Bulbs




Pippet Bulbs



Stomach Tube



Brest Pump



Ear Syringe



WATER BED



Water Bed

We Care For Your Health

- Materials** : Made from finest Ribberzied fabrics.
- Size** : 200x90x15 cm
- Colour** : Various Elegant Prints
- Application** : for Prevention of Back sore for Bed Ridden Patients. With Water Inlet



Air Mattress

With Beautiful Look & Maximum Comfort.



AIR CUSION

- Materials** : Made from finest Ribberzied fabrics.
- Size** : 35, 41 & 45 cm dia
- Colour** : various



ICE BAG

- Materials** : Made from finest Ribberzied fabrics. 22.5, 27.5 & 33 cm dia
- Size** : Various
- Colour** :

We reserve the right to amend, alter, modify, specifications without prior notice





Forceps



Scissors



### Surgical Instruments Set



- \* Dressing Instrument Set
- \* Minor Surgery Set
- \* Delivery Instrument Set
- \* Abortion Instrument Set
- \* Suturing Instrument Set
- \* Episiotomy Instrument Set
- \* D & C Instrument Set
- \* Amputation Set
- \* E.N.T. Instrument Set
- \* Dental Extraction Set
- \* Dissecting Set



Vaginal Speculum  
Graves



Vaginal Speculum  
CuCus



Vaginal Speculum  
Sims





Paramount  
Warehouse



United Poly Engg.



Heuer SEZ



GST Gurgaon Factory



Paramount H.O.




Paramount Blades  
Factory



Warehouse



GST New Delhi



ISO 9001:2008

ISO 13485:2003

WHO-GMP



## GST Corporation Ltd.

B-13, Okhla Industrial Area, Phase II,  
New Delhi-110020 (INDIA)  
Tel : (91-11) 46434444, fax (91-11) 46434433  
E-mail : [gstc@gstc.com](mailto:gstc@gstc.com)  
Website : [www.gstc.com](http://www.gstc.com)

