



Elevating Health and Wellness



GST Corporation Ltd.

ISO 9001:2015

EN ISO 13485:2016

WHO-GMP



Group Philosophy

USP



Well established, Flexible & Dynamic Group,
with a diverse product range covering
over 2000 products

Highly Professional, Specialised
& Skilled Manpower of 800 people

9 facilities, covering area of 200,000 sq. ft.

Exporting worldwide to over 60 countries,

Offering contract & OBL / OEM Manufacturing



QUALITY POLICY

We at **GST Corporation Ltd.** firmly believe
in timely supply of reliable products with innovative
features for customer satisfaction.

We shall continuously ensure that the dynamic
needs of our customers from all over the globe are
met in their full satisfaction by continuously
updating & upgrading technology, selecting
appropriate processes & implementing the relevant
ISO 9001 Quality Management System to provide
Quality products at competitive price.

INDEX:

Product Description	Page No.
<u>Disposable</u>	
Infusion Therapy	
I.V. Cannula With Wing With Port	5
I.V. Cannula With Wing Without Port	5
I.V. Cannula Without Wing Without Port	5
I.V. Cannula Without Wing Without Port - Pen Type	5
I.V. Cannula With Wing With Port With 3 Way Stop Cock	5
I.V. Cannula Rapido	6
I.V. Cannula Safety	6
Three Way Stop Cock Low Pressure	7
Three Way Stop Cock High Pressure	7
Three Way Stop Cock Lipid Resistant	7
Three Way Stop Cock With Extension Tube	7
Extension Tubes	7
Flow Regulator	7
I.V.Set Economy- 20 Drop Non Vented	8
I.V.Set Standard - Micro Vented	8
I.V.Set Superior - Nuovo With Flow Regulator - Vented	8
Measured Volume Set	9
Scalp Vein Set	9
Syringes	10
Syringe Insulin	10
Hypodermic Needle	10
Urology	
Foley Catheter Latex	11
Foley Catheter Silicon	11
External Male Connector	11
Urine Bag	12
Blood Management	
Blood Administration Set	12
Blood Collection Needle	12
Needle Holder	12
Blood Bags	13
Central venous Catheter Single	13
Central venous Catheter Double	13
Central venous Catheter Triple	13
Central venous Kit	13
Surgery	
Close Wound Suction Unit With 2 Catheter	14
Abdominal Drainage Set	14
Redon Drain	14
Thoracic Drainage Catheter With Trocar	15
Thoracic Drainage Catheter Straight	15
Thoracic Drainage Catheter Angled	15
Yankur Suction Unit	15
Blood Lancets	16
Surgical Blades	16
Sutures	16
Gastroenterology	
Ryle's Tube	17
Levin's Tube	17
Rectal Catheter	17
Infant Feeding Tube	17
Stomach Tube	17
Nelson Catheter	17
Others	
Mucus Extractor	18
Umbilical Cord Clamp	18
Amniotic Perforator	18
Fistula Needles	18

Product Description	Page No.
Anaesthesia Disposable	
Guedel Airways	19
Nasal Oxyzen Catheter	19
Suction Catheter	19
Spinal Needle	20
Epidural Needle	20
Endotracheal Tube Plain	20
Endotracheal Tube Cuffed	20
Oxygen Mask	21
Venturi Mask	21
Nebulizer Kit With Mask	21
Lyrangeal Mask	21
Electrodes Disposable	
Liquid Gel ECG Electrodes	22
Solid Gel ECG Electrodes	23
Consumables	
Latex Examination Gloves	24
House Hold Gloves	24
Latex Gynaecological Gloves	24
Latex Surgical Gloves	24
Plaster of Paris Bandages	25
Zinc Oxide Adhesive Bandage	25
Cotton Rolls	25
Cotton Balls	25
Gauze Bandages	26
Gaze Rolls	26
Elastic Adhesive Bandages	26
Crepe Bandages	26
Tongue Depressor - Wooden	26
Applicator Stick - Wooden	26
Bio Hazardous Bag	27
Face Mask Non woven	27
Umbilical Cord Tape	27
First Aid Kit	27
Urine Container	27
Stool Container	27
Medicine Enevelope	27
Anaesthesia General	
Laryngoscope	
Laryngoscope McIntosh	28
Laryngoscope Miller	29
Laryngoscope Fiber Optics	30
Resuscitator	
Resuscitator Silicon	31
Resuscitator Rubber	32
Resuscitator Italian Model	33
Diagnostics	
Scale	
Baby Scale With Trouser GST 623	34
Weight & Height Measuring Scale GST 631	34
Baby Scale Tray Type	34
Baby Weighing Scale Digital Tray Type	34
Weight Measuring Scale Mechanical/Digital	34
Sphygmomanometer	
Sphygmomanometer Mercurial Desk Model	35
Sphygmomanometer Aneoriod	35
Sphygmomanometer Aneoriod Big Dial	35
Sphygmomanometer Digital	35
Sphygmomanometer Mercurial Wall Model	35
Stethoscope	
	36
Lights	
Pen Torch	37
Pen Light	37



- 26G
- 24G
- 22G
- 20G
- 18G
- 17G
- 16G
- 14G




I.V. Cannula
with wing with port
Sizes : 14G to 24G



I.V. Cannula
without wing without port
Sizes : 14G to 24G

Sizes : 14G to 24G



I.V. Cannula
with wing without port
Sizes : 14G to 24G



I.V. Cannula
with wing with port
with 3 way stop cock
Sizes : 14G to 24G



I.V. Cannula
without wing without port - Pen Type





I.V. Cannula Safety

Sizes : 14G to 24G

26G

24G



I.V. Cannula Rapido Quick Flash

Size : 24 & 26FG

OLD



Traditional I.V. Cannula

NEW



Cut in the needle, allows blood to pour out in between the needle and the catheter

Infants have low B.P. and coupled with thin wall of 26 G, take a lot of time for blood to travel in the traditional flashback chamber





3 way stop cock
high pressure



3 way stop cock
low pressure



3 way stop cock
lipid resistant



3 way stop cock
with extension tubes



Extension Tubes



Flow Regulator

I.V. FLOW CONTROLLER EXTENSION SET

- For precise control of flow rate.
- Available with "Y" injection port for intermittent medication.
- Flow range 5 to 250 ml/hr.





I.V. Set Economy
without Filter, Plain Bulb



I.V. Set standard
Latex Bulb, Airvent &
Better Flow Regulator



I.V. Set Superior
Micro 60 drops/ml

Options



Y site



Needle Free Y Site Leur Lock






Rotating Leur Lock





Measured Volume Set

- Clear calibrated soft cylindrical chamber.
 - Tube length 150cms.
 - Available with "Y" injection port for intermittent medication.
 - Antibacterial air inlet with cap.
 - Automatic shut off valve.
- Capacity : 110 & 150 ml.

-  18G Pink
-  19G Brown
-  20G Yellow
-  21G Green
-  22G Black
-  23G Sea Green
-  24G Red
-  25G Blue



Scalp vein Set

Butterfly shaped wings facilitate easy handling and attachment with the skin. Butterfly is connected to soft non toxic, non-irritant, which does not kink or coil set. Thin wall needle for better flow rate per gauge. Sizes : 18FG to 25FG





Syringes

3 part or 2 part with or without needle, luer lock or luer slip, poly pack or blister pack.

Made of nontoxic medical-grade PP and PE Material in high accurate mould. Clear transparent chamber and graduation ensures dosage accuracy. Friction free movement of plunger insures proper vacuum and minimum dead space

Sizes: 1ml, 2ml, 2.5ml, 3ml, 5ml, 10ml, 20ml, 50ml and 60ml



Syringe Insulin

Sizes: 1ml




Hypodermic Needles

High quality stainless steel with sharpness to ensure injections with minimal pain and maximizes patient comfort.

Larger inner diameter for high flow. Color coded hub by size for clear recognition. Semi-transparent needle-hub for clearness of flashback.

Sizes: 16G, 18G, 20G, 21G, 22G, 23G, 24G, 25G, 26G





Foley Catheter
2 way

Foley Catheter
3 way

Made from natural latex, Silicone coated.
Size: 6 to 26 FR/CH with different balloon capacity



Silicon Foley Catheter
3 way



Silicon Foley Catheter
2 way

Made from 100% silicon
Size: 6 to 26 FR/CH with different balloon capacity



External Male Connector

Available in 25, 30, 35, 40mm. Dia.
Single or both side adhesive strip.





URINE BAG
Capacity : 2000 ml.



Urine Bag - Paediatric
Capacity : 100 ml.



Urine Bag - Leg Bag



Blood Administration Set

20 Drops per ml.
Antibacterial air inlet with cap.
Available with or without "Y" injection port
With 200 micron filter & 18 G needle
Available with and without arivent



Blood Collection Holder
with Needles



Blood Collection Needles
Size: 20G x 1 1/2", 21G x 1", 21G x 1 1/2" 22G x 1 1/2"





Double Blood Bag



Single Blood Bag



Triple Blood Bag



Central Venus Catheter
Single Lumen



Central Venus Catheter
Double Lumen




Central Venus Catheter
Triple Lumen



Complete Set of CVC kit consist of :

- » Y-Introducer needle with check valve
- » J-Tip guide wire
- » Vessel dilator
- » Luer lock syringe
- » Scalpel
- » Catheter holder
- » Catheter holder clamp
- » Injection cap
- » Extension line clamp
- » Guiding Syringe/ LOR Syringe (Optional)





Close Wound Suction Unit Child

Size: 6 & 8 FG



Close Wound Suction Unit

- For close wound drainage under negative pressure post operatively with the option to use one or two catheter simultaneously.
- Large bellow chamber of 800 ml capacity.
- Bellow unit with connector, Connecting tube with clamp and "Y" connector, Curved needle with catheter, Spare perforated catheter.

Sizes : 10, 12, 14, 16 & 18FG



Abdominal Drainage Set

Size: 20, 24, 28, 32 & 36 FG with 2000ml capacity



Redon Drain

Size: 8, 10, 12, 14, 16, 18 FG





- Size : 12, 28 & 32 FG.
- Markings provided at 5, 10 & 15 cms.
- Two lateral eyes for efficient drainage.
- With trocar for easy penetration and handling.

Thoracic drainage Catheter with trocar



Thoracic drainage Catheter with Angled



Thoracic drainage Catheter without trocar

- Length : 45 cms.
- Size : 16FG to 40Fg
- For post operative drainage after cardio-thoracic & thoracic surgery.
- With radio-opaque line and markings at every 2 cms. from the last eye.
- Cross side eyes to prevent tissue aspiration.



Capacity : 110 & 150 ml.

Yankur Suction Unit

- Funnel end connectors at both ends of tubing.
- Tube Length : 2.1 mts.
- Tube size : I.Ø. 5.5. mm. & O.Ø 8.5 mm.






Surgical Blades

Size: 9, 10, 10A, 11, 11K, 12, 14, 15, 15C, 16, 19, 20, 21, 22, 23, 24, 25, 36
 Available in Carbon Steel & Stainless Steel



Blood Lancets



Sutures

Absorbable & Non Absorbable, Nylon,
 Silk,
 Catgut
 Plain,
 Catgut Chromic,
 Polyglycolic (PGA)

For Reusable Suture Needles . Please refer our other Catalogues.



6FG Sea Green

8FG Blue

10FG Black

12FG White

14FG Green

16FG Orange

18FG Red

20FG Yellow

22FG Violet

24FG Light Blue

26FG White

28FG Green

30FG Light Grey

32FG Orange



Ryle's Tube

STOMACH TUBE FOR NASOGASTRIC INTRODUCTION

- Closed distal end with metallic balls sealed into the tube to assist the passage of tube during intubation.
- Four lateral eyes.
- Length : 105 cms.
- Sizes : 8FG to 22FG



Levin's Tube


GASTRO-INTESTINAL FEEDING TUBE

- With four lateral eyes.
- Length : 125 cms.
- Sizes : 8FG to 20FG




Rectal Catheter

- Length : 125 cms.
- Size 18 to 32 FG



Infant Feeding Tube

- Sizes : 5FG to 10FG
- FEEDING TUBE FOR PAEDIATRIC AND NEONATAL USE



Stomach Tube



Nelton Catheter

SHORT TERM URINE DRAINAGE CATHETER

- Length : 40 cms.
- Sizes : 6FG to 20FG



Mucus Extractor

- For aspiration of secretion from oropharynx in neonatal cases ensuring free respiration.
 - Convenient to extract mucus specimen for microbiological examination.
 - Separate lid for self sealing of the container.
- Capacity : 25 ml.



A Non openable




B Openable




Umbilical Cord Clamp

CLAMP FOR CLAMPING UMBILICAL CORD

- A. Re-openable model for catheters .
- B. Single closure for umbilical cord .



Amniotic Perforator



Fistula Needles

Size: 15, 16, 17FG
Length 30 cm





Guedel Airways


Oro-pharyngeal Airway

For maintaining an unobstructed oropharyngeal airway during general anaesthesia and in unconscious patients.

Bite block to prevent biting of tongue and airway occlusion.


Color coded for easy identification of sizes

Sizes : 00, 0, 1, 2, 3, 4



Nasal Oxygen Catheter

- Soft & ergonomically shaped twin prong nasal tips.
- Tube Length : 2 mts., green color.



SUCTION CATHETER with Thumb Control ENDO BRONCHIAL SUCTION CATHETER

- Length : 52 cms.
- Sizes : 6FG to 20FG



Sizes : 6FG to 20FG

SUCTION CATHETER (Plain) ENDO BRONCHIAL SUCTION CATHETER

- Length : 52 cms.

Anaesthesia

- 000 Violet
- 00 Blue
- 0 Black
- 1 White
- 2 Green
- 3 Orange
- 4 Red
- 5 Yellow

- 6FG Sea Green
- 8FG Blue
- 10FG Black
- 12FG White
- 14FG Green
- 16FG Orange
- 18FG Red
- 20FG Yellow
- 22FG Violet
- 24FG Light Blue
- 26FG White
- 28FG Green
- 30FG Light Grey
- 32FG Orange





Spinal Needle
Size : 16G to 27G x 3.5 needle



Epidural Needle
Size : 16G to 27G x 3.5 needle



Endotracheal Tube Plain

Made from non-toxic transparent soft and smooth PVC.
Radio opaque line through the length for X-ray visualization.
High volume cuff provides positive tracheal wall seal.
Size available from ID: 2 to 11 mm



Endotracheal Tube cuffed





Oxygen Mask
Size: Adult & Child
Tube Length : 210 cms.



Venturi Mask



Nebulizer Kit with Mask
Size: Adult & Child
Tube Length : 210 cms.



Laryngeal Mask
Size: 1, 1.5, 2, 2.5, 3, 4 & 5





Liquid Gel ECG Electrodes

Gel ensures that there is good electrical contact between the skin and the sensor - and we provide both Liquid and solid gel depending on the specific need.

Liquid Gel Long Term - LGLT


A Thick Liquid gel designed for long term procedures and stress testing. our special formulation provides good electrical response and reduces skin impedance. This helps avoid baseline drift and provides a fast and accurate ECG the first time - Every time.

Liquid Gel Short Term - LGST

A Gel designed specially for short term procedures providing quick-up even with inadequate skin preparation.

Category	Suggested Use	Code	Dimensions	Price
----------	---------------	------	------------	-------

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT	57x38x1mm	
----------------------	-------------------------------	-------	-----------	--



GLGLT 10

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT 20	50x38x1mm	
----------------------	-------------------------------	----------	-----------	--



GLGLT 20

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT 30	50x48x1mm	
----------------------	-------------------------------	----------	-----------	--



GLGLT 30

Liquid Gel Short Term	Echo/Monitoring	GLGST 40	44x32x1mm	
-----------------------	-----------------	----------	-----------	--




GLGST 40

Liquid Gel Long Term	Stress/Holter/Echo/Monitoring	GLGLT 50	45x42x1mm	
----------------------	-------------------------------	----------	-----------	--



GLGLT 50



Solid Gel ECG Electrodes


Gel ensures that there is good electrical contact between the skin and the sensor and we provide both Liquid and solid gel depending on the specific need.

Solid Gel Long Term - SGLT

Solid gel or hydro gels are the latest in gel technology. our skin-friendly solid gel minimizes epidermal reactions and makes it easy to remove electrodes without hurting sensitive skin. Solid gel electrodes offer the advantages of both quick and rapid signal pick-up along with consistent high quality recordings with no requirements for post-procedural cleaning up. Solid gel is adhesive, so it increases the adhesion surface size. The sensor-to-skin distance thus remains a constant and further reduces motion.

Category	Suggested Use	Code	Dimensions	Price
----------	---------------	------	------------	-------

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 10	57x38x1mm	
---------------------	-------------------------------	----------	-----------	--



GSGLT 10



GSGLT 20

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 20	50x48x1mm	
---------------------	-------------------------------	----------	-----------	--

Available as Radio Translucent

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 30	50x35x1mm	
---------------------	-------------------------------	----------	-----------	--



GSGLT 30



GSGLT 40

Solid Gel Long Term	Stress/Holter/Echo/Monitoring	GSGLT 40	42x37x1mm	
---------------------	-------------------------------	----------	-----------	--

Solid Gel Short Term	Stress/Holter/Echo/Monitoring	GSGST 50	44x32x1mm	
----------------------	-------------------------------	----------	-----------	--



GSGST 50

- **Backing Adhesive** : Foam, Aggressive
- **Standard Packing** : 50 Electrodes/Pouch, 10 Pouches/Box, 12 boxes/Carton



Latex Examination Gloves

Powdered / Powder free & sterile / Non Sterile.
 Beaded Cuff and better grip, 100% inspected.
 In compliance with ASTM D3577 and BS EN 455 (part 1&2)
 Sizes: Ex S, S, M, L, Ex L
 Medium width 95+₋₁₀ Length 24cm
 100pcs in a dispenser box



Household gloves

Flock lined / Unlined with Yellow / Green / Blue color
 Use in Cleaning General Household work, Food Processing & Packing,
 Manufacturing and Light Assembly
 Thickness 0.45mm Length 310 mm

Latex Surgical Gloves

Low powder, low protein, Gamma/ ETO sterilized Natural High grad Latex.
 Beaded Cuff, Micro rough texture for better grip. 100% inspected
 In compliance with ASTM D3577 and BS EN 455 (part 1&2)
 Sizes: 5-9,
 Width: 67to114 +₋₆, Length 26-29cm Thickness 0.26 to 0.38 mm
 1 pair (right and left) glove packed in medical grade peel/tear open pouch



Latex Gynecological Gloves

Gamma/ ETO sterilized Natural High grad Latex. Low powder, low protein
 Beaded Cuff, Micro rough texture for better grip. 100% inspected
 In compliance with ASTM D3577 and BS EN 455 (part 1&2)
 Sizes: S, M L
 Width: 87to112+₋₆, Length 48-50cm Thickness 0.30-0.50 mm





Plaster Of Paris Bandage(p.o.p)

Material: sizing gauze + plaster.

It will be setting within short time, and has good shaping and stability.

Size: 5cm x 2.7m, 7.5cm x 2.7m, 10cm x 2.7m, 15cm x 2.7m, 20cm x 2.7m



Zinc oxide adhesive plaster

It's made of cotton, Non woven, silk, paper, PE film and zinc oxide colloid.
With/Without spool and cover , White/Skin color.
Strong, 100%cotton woven backing is durable with high tensile strength.
Hypoallergenic and latex-free.

Size 1.5/2.5/5/7.5/10/15/20cm×4/4.5/5/10m



Absorbent Cotton Wool

100% cotton, Snow-white appearance, Soft, Strongly absorbent.
It is designed as surgical dressing, for cleaning and sterilizing wound
Individually packed in medical paper or in poly bag

Size 25/50/100/500/1000gm



Cotton Balls

100% Cotton

Packing 5pcs , 10pcs/pouch , 100 , 500pcs/polybag

Sterility - Sterile and Non sterile

Size 0.5/0.6/1gm



Gauze Bandage

Bandage rolls are made of pure 100% cotton yarn, through high temperature and pressure degreased and bleached, ready-cut, superior absorbency. Comes with x-ray thread and without x-ray thread

Available in different sizes with different mesh sizes



Adsorbent Gauze Rolls

Bandage rolls are made of pure 100% cotton yarn, through high temperature and pressure degreased and bleached, ready-cut, superior absorbency. Comes with x-ray thread and without x-ray thread

Available in different sizes with different mesh sizes



Elastic Adhesive Bandages

Cotton and urethane elastic fiber.

50g , 60g , 70g , 80g , 90g , 110g , 120g/m²

White/Blue/Red/Yellow/Black/Pink.

Size 5/7.5/10/15/20cm×4.5m



Cotton Crepe Bandages

100% cotton, 70g , 75g , 80g , 90g , 100g , 105g , 120g/m²,

With/Without clips,

Bleached/Unbleached/Skin color.

Size 5/7.5/10/15/20cm×4m and 5/7.5/10/15/20cm×4.5m



Wooden Tongue Depressor



Applicator Stick





Umbilical Cord Tape



Bio Hazardous Bag
Size : Available in different sizes



First Aid Kit



Face Mask Non Woven
Size : 2 ply and 3 ply



Urine Container



Medicine Envelope



Stool Container



Laryngoscope McIntosh



Pouch Packing



Stainless Steel
Blades and handle




LED Bulb
New




100 mm




108 mm



135 mm



160 mm



MC - 4

Advantages:

1. Blades and contacts of stainless steel, therefore wear-resistant
2. Can be sterilized upto 180°C
3. Optimal exploitation of light-source

Now also available in LED

Advantages:

1. Very Low Battery consumption, enhancing battery life.
2. Higher LUX.
3. Available in White light, warm white light.



Laryngoscope Miller



Stainless Steel
Blades and handle



← 75 mm →



M - 0

← 100 mm →



M - 1

← 150 mm →



M - 2

← 195 mm →



M - 3

← 230 mm →



M - 4

Advantages:

1. Blades and contacts of stainless steel, therefore wear-resistant
2. Can be sterilized upto 180°C
3. Optimal exploitation of light-source

Now also available in LED

Advantages:

1. Very Low Battery consumption, enhancing battery life.
2. Higher LUX.
3. Available in White light, warm white light.



Laryngoscope Fiber Optics



Laryngoscope Mc-Intosh is a self-contained Class - 1 medical device for endo-tracheal intubation. All blades & Handles are made from 304 Grade S stainless steel. The Device is made on GREEN STANDARDS & conforms to the ISO fitment Standards and is available in various sizes, MC-0,1,2,3,4,5 (with one, two, three, or four Fibre optic blades in a set) according to patient's size. Spares are available separately. The Device is sold without batteries (Use standard "C" Type Alkaline battery, 1.5 volts DC). They are required to power the Halogen Bulb, illuminating the oral cavity for better viewing. Light is not indispensable to operate but only enhances / simplifies operations.



Resuscitator Silicon
(Autoclavable)



SM -00



SM - 0



SM - 01



SM - 02



SM - 03



SM - 04



Infant



Child



Adult



Resuscitator Box



Reservoir Bag



Silicon Tubing



Resuscitor Adult GST-1



Resuscitor Child GST-2



Face Mask



Rebreathing Bag

Resuscitator
Rubber - Italian Model



Adult



Child



Corrugated tube
Size: 10 cm, 30 cm, 105 cm



Height Measuring Scale
GST 631



Digital Weighing Scale



Baby Scale with trouser
GST 623



Manual Weighing Scale



Baby Weighing Scale
GST 631



Weight Measuring Scales
(Big Dial)



Digital Weighing Scale



Baby Scale Tray type
Size : 10kg, 16kg & 20kg





Sphygmomanometer Mercurial
Desk Model



Sphygmomanometer Anaroid



Digital B.P. Monitor



Sphygmomanometer
Anaroid Big Dial





Stethoscope Microdual
Stainless Steel



Stethoscope Microdual
Gold Fish



Stethoscope Microdual
S.F. (Spring Outside)



Stethoscope Microdual
S.F. "J" Type



Stethoscope Microdual
S.F. Pediatric



Stethoscope Microdual
C.P.



Stethoscope Microdual
Regular



Stethoscope Microdual
Bell Type



Stethoscope Mono
Single C.P.





Pen Torch



Pen Light



ClarkHead Mirror with Clark Band



Clark Head Light



Head Mirror



Head Light



Stethoscope Pinard Aluminium
Stethoscope Pinard Plastic



Examination light





Otoscope Mini



Otoscope Standard




Otoscope Old Model



Shall Haemometer



Binomag



Blood Cell Counter



Berger Loupe



Haemocytometer





Percussion Hammer Neurological



Percussion Hammer Nylon Handle



Percussion Hammer Taylor



Percussion Hammer with Pin & Brush



ECG Electrode



ECG Electrode with Velcro Band



X-RAY FILM CASSETTE

FEATURES



Adopts special plastic connecting angles, anti-pounding.
 It is contacted evenly with its specially made high-elasticity sponge pad.
 Imaging stably & clearly. The imaging layer is clear as well.
 The sponge pad is specially treated. It can protect the intensifying screen not to be damaged.
 Adopts the entire plane grid chart testing technique to insure the quality of products.

special sizes can be made according to the client's



with window




INTENSIFYING SCREEN



X Ray Fixer & Developers

- * Manual & Auto Processing of X Ray films.
- * Liquid & powder forms available



- BLUE
- CALCIUM TUNGSTATE BLUE 100
- RARE EARTH BLUE 200/400
- RARE EARTH GREEN 500

DEVELOPING HANGER




DARK ROOM LIGHT




X-RAY SENSITIVE MEDICAL FILMS

Green
Blue Sensitive - High Speed
Infra Red Laser Film



Blue - Spectral sensitive curves



Green - Spectral sensitive curves



X-RAY
LEAD APRON



X-RAY GLOVES

X-RAY VIEWER / ILLUMINATOR

SLIM

With the most advanced clipping device

FEATURES

- The thickness is 8cm only, saving space.
- The luminance of screen is brighter, the light is distributed evenly.
- Adopting with general standard of fluorescent lamp tube, easy to change.

SIZE : Single, Double, Triple, Quadruple

TYPE : Ordinary, Step Adjusting, Digital



Ordinary type



Step adjusting type



Digital button-press
Adjusting type



Slim

8 cm

X-RAY VIEWER / ILLUMINATOR

REGULAR

With the most advanced clipping device

SIZE : Single, Double, Triple, Quadruple

TYPE : Ordinary, Step Adjusting, Digital



Ordinary type



Step adjusting type



Digital button-press
Adjusting type



- Films are easily to be inserted, taken out, and clipped firmly.
- The screen is made of import white polymethyl methacrylate plate ,it is bright and clean . Anti-ultraviolet ray, and never fade in color.
- viewer body in aluminum-alloy with a beautiful deign.
- The product is designed reasonable, and easily to maintenance.






Thermometer
Digital



Thermometer
Rectal



Thermometer
Oral




Manual Eye Chart

GST 641 ILLITERATE Type

GST 642 LITERATE Type



Sitz Bath



Slow Suction Apparatus Aspirator 30



Model GST-6

Heuer Aspirator 30 is ! Suitable for minor surgical applications and postoperative therapy and tracheotomized patients. ! To be used for aspirating body fluids only such as, mucus etc. ! Easily, portable, equipment designed for long continuous use.

Salient Features and Construction


- A. Made of highly heat-resistant, electrically insulated ABS plastic material.
- B. Supplied with a polycarbonate 2-litre autoclavable jar complete with overflow valve.
- C. Equipped with aspiration regulator (for slow & fast aspiration as required) and Vacuum gauge.
- D. Oil free piston-cylinder motor pump.
- E. Vacuum capacity of 600 - 650 mm Hg.
- F. High flow rate of 30 liters / minute.

Technical Characteristics

Model	Aspirator 30 (GST-6)
Dimensions	38 x 21 x 31 cm
Weight	4.7 kg
Power Supply	230V - 50 Hz
Pump	Oil free, Piston - Cylinder type
Motor	1/8 HP-110 Watts - 0.6 Ampere.
Suction Pressure Maximum	650mm Hg approximate
Suction flow rate Maximum	30 L/min approximate
Fuse	1 x 2A

Operating Instructions

- Connect the short silicone tube with the filter **1** to the aspirator outlet **2** the other end of the tube must be connected to the outlet (vacuum) **3** with the vessel cap float.
- Connect the long silicone tube to the other end of the tube **4** to the other outlet **5** of the vessel cover (the outlet without the float)
- Attach the probe **6** connection.
- Connect the plug to the electrical mains supply **7**
- Switch on the equipment **8**



Accessories supplied along with the Unit

DESCRIPTION
1 x 2 ltr Poly Carbonate Jar
1 x 2 Power Cord (5 Amp. rating)
2 x Fuse (1 additional, in the fuse box)
1 x Anti-Bacterial Filter
1 x 1 mtr Silicone Tube Autoclavable
1 x Aspiration Probe (Brass-Chrome plated) (optional)
1 x Conical Connection attachment Catheter/probe
2 x Suction Catheter (Disposable) (optional)
1 x Owner's Manual



Silicone Cup with Release Valve
Sizes : 50mm & 60mm



Silicone Cup
Sizes : 50mm & 60mm



MOBILE SURGICAL ASPIRATOR
GST MO1 & MO 2

High Vacuum, High Flow, Power Feeding 220 V 50 Hz, Piston/Cylinder Vacuum Pump, Continuous Operating Cycle, Adjustable Vacuum level 0 - 760 mmHg, Air Flow 60 L/Min, Jar 2 x 2000 ml Poly Carbonate Jars

MOBILE SURGICAL ASPIRATOR with Foot Pedal with GST Mo1



Instavac ABS
GST INV

Shock proof, Light Weight ABS (Plastic) Cabinet
Rocker Piston Pump with -720 ± 10 mm Hg
Free air displacement 40 ~ 45 LPM
Noise level of suction Machine is $50 \text{ dB} \pm 03 \text{ dB}$
Electrical Requirement - 220~230VAC, 50Hz, 1Phase
Heavy duty HN-50 PU Castors
76 mm Calibrated Vacuum Gauge
Non collapsible Suction Tubing
2 X 2.0 Ltrs Polycarbonate jars with overflow safety
Packing Size: 50 X 40 X 84 CM
Gross weight: 28 Kg



Manual Cum Electric Suction
GSTC 3

Offers two separate suction systems. On manual mode creates 600 mm Hg pressure (1.5 ltrs jar) & 700 mm Hg (3 ltrs jar) on electric.



Hand Held Suction Device
GST HH

It is a new emergency product. Portable, powerful and economical
It works only by hand pressure and permits to achieve a depression of -0.6 mbar
Delivered with a washable 300 ml jar
Thanks to its "GUN shape, it is possible to use only by one hand
It is possible to be connected to the catheters and to the endotracheal tube



Heuer Plus Suction Machine
GST HP 2

SS Top Housing: Powder coated MS Cabinet with SS Top.
Capacity: $-710 \text{ mmHg} \pm 10$ at 30~35 LPM
Noise Level: $<50 \text{ dB A} \pm 3$ almost whispers
Pump Type: Noiseless Rotary Vane Pump
Jars: Polycarbonate 2 x 2.5 liters capacity with mechanical over flow system & ABS Lid
Filter: Reusable Bacterial Filter
Tubing: Non - Collapsible Suction Tubing
Vacuum Gauge: 2.5inch, 0-760 mmHg
Power: 220/230V AC, 502Hz, 1Ph



GST Eterno

Eterno AC/DC Suction Machine

Portable Suction Machine for emergency surgical aspiration. It can operate at 12 V (car / ambulance) power supply, rechargeable battery or directly by mains supply. Its oil free piston pump ensures high performance and long life. Up to 60 minutes of autonomy with fully charged battery. 99% antibacterial filter Equipped with autoclaveable jar and safety valve.

Vacumaxx High Vacuum Suction Machine

2 X 2.0 Ltrs. Polycarbonate jars (Long Type) with overflow safety
 Noise level of suction apparatus from is 50 dB +/- 03 dB
 Rocker Piston Vacuum Pump with -710 +/- 10 mmHg
 Anti corrosive & Powder Coated Mild Steel Trolley
 Electrical Requirement - 220~230V, 50Hz, 1Phase
 Ideal for MTP / medical / surgical procedures
 Heavy duty HN-65 Castors with brakes
 Free air displacement 30 ~ 35 LPM
 Non collapsible Suction Tubing
 63 mm Vacuum Gauge
 Bacterial filter fitted



GST VMX



GST PV

Powervac High-Flow Suction Machine

Powder Coated Mild Steel Heavy Cabinet
 Noise level of suction Machine is 50 dBA +/- 03 dBA
 2 X 2.0 Ltrs. Polycarbonate jars with overflow safety
 Rocker Piston Pump with -730 +/- 10 mm Hg
 Electrical Requirement - 220~230V, 50Hz, 1Phase
 Free air displacement 60 ~ 65 ltrs/min
 Non collapsible Suction Tubing. Heavy duty HN-50 Castors
 50 mm Vacuum Gauge. Ideal for MTP / medical / surgical procedures

Hi-Vac Pluss

Housing: Plastic moulded cabinet
 Capacity: -600 mm Hg ± 10 mm regulable, flutter free vacuum control knob,
 30 / 60 ltrs / min
 Pump type: Double diaphragm pump
 Jar: 2 x 2.5 ltr. wide mouthed (Polycarbonate) with changeover lever. Provided with handle for hygiene while emptying / cleaning. Safety jar with mechanical / electronic overflow motor shut off system and autoclavable bacterial filter.
 Tubing: 10 mm ID x 2 mtr. (PVC)
 Vacuum Gauge: Bourden type 6.25 cm dia 0-760 mm Hg calibration.
 Power: 220 V, 50 Hz, Single Phase, Noise Level: 60 dBA ± 3
 Dimension & Weight: 46 x 32 x 86 cms, 18 Kg. (30 / 60 Ltr / Min)



GST HV P1

Instant Suction Aid AC / DC

Housing: Engineering moulded ABS plastic cabinet with built-in handle & jar hangers
 Capacity: 0-575 mm Hg ± 10 regulable at 14 ltrs / min.
 Pump Type: Oil-free Piston Pump
 Jar: 1 ltr. collection jar (Polycarbonate) with mechanical / electronic overflow motor shut-off system with autoclavable bacterial filter.
 Vacuum Gauge: Bourden type 5 cms. 0-760mm Hg calibration.
 Power: 220 V, AC and inbuilt maintenance-free 12 VDC, 2.2 Ah battery, or ambulance / car socket (cable provided). (110 V on request)
 Dimension & Weight: 33 x 14 x 30 cms. 7 kg
 Battery Back up: 120 minutes on full charge
 Supplied in an attractive carry bag



GST IS 1



Eurovac with Shock Resistant



GST EV 1

Compact, Lightweight, Powerful and Non-Corrosive. ABS Case.
 Capacity: -575 mm Hg \pm 10 at 25 ltrs / min.
 Pump type: Oil-free diaphragm pump
 Jar: Wide mouthed autoclavable 2 ltr. collection jar (Polycarbonate), safety jar with mechanical / electronic overflow motor shut-off system with reusable / autoclavable bacterial filter. Tubing: 8 mm ID X 2 mtr. (Silicon)
 Vacuum Gauge: 6.25 cms (2.5 inch). 0-760 mm Hg calibration.
 Power: 220 V AC, 50 / 60 Hz, 125 watts. (110 V on request),
 Dimension & Weight: 23 x 42 x 36 cms. 7.5 kg.



GSTC Eurovac-A
GST EV-A

AC / DC Suction Unit for Hospitals, Ambulance, Camps, Homecare etc.
 Housing: MS powder coated cabinet.
 Capacity: -575 mm Hg \pm 10 Vacuum 14 ltrs / min.
 Pump type: Oil-free piston pump
 Jar: Autoclavable 0.5 ltr. collection jar (Polycarbonate) with mechanical / electronic overflow motor shut-off system with autoclavable bacterial filter.
 Tubing: 8 mm ID X 2 mtr (Silicon)
 Vacuum Gauge: Bourden type 5 cms. 0-760 mm Hg calibration.
 Power: Operates on 220 V AC and in-built maintenance-free 12 VDC 4.5 Ah (2 x 6 V, 4.5 Ah) battery, 55 watts. (110V on request)
 Dimension & Weight: 45 x 15 x 25 cms. 6 Kg.
 Battery Backup: 120 minutes on full charge
 Provided with AC adaptor and cigarette lighter socket cable for use in ambulance / car. Can be hung in ambulance.
 Vacuum Gauge: Bourden type 5 cms. 0-760 mm Hg calibration.
 Power: 220 V, AC and inbuilt maintenance-free 12 VDC, 2.2 Ah battery, or ambulance / car socket (cable provided). (110 V on request)
 Dimension & Weight: 33 x 14 x 30 cms. 7 kg
 Battery Back up: 120 minutes on full charge.
 Supplied in an attractive carry bag



GSTC Multivac
GST MV 1

Portable AC / DC / Pedal Suction Unit for Ambulances, Hospitals, Camps, Trains, Home care etc.
 Housing: MS Powder coated cabinet
 Capacity: Electrical: 0-575 mm Hg \pm 10, Vacuum 14 ltr / min.
 Pedal: 150 ml per stroke volume
 Pump type: Oil free Piston Pump (Electrical) & Piston pump (Pedal)
 Jar: Wide mouthed autoclavable 2 ltr collection jar (Polycarbonate), safety jar with mechanical / electronic overflow motor shut off system and bacterial filter.
 Power: Operates on 220 V AC and Pedal (manual). In-built maintenance free 12 V DC, battery. 55 Watts.
 Battery Backup: 120 minutes on full charge.
 Dimension & Weight: 44 x 28 x 27 cms, 9.5 Kg.
 Provided with AC adaptor and cigarette lighter socket cable for use in ambulance / car. Can be hung in ambulance or on wall.

Non-Tiring Manual-Powered Suction Unit.



GST P9

Housing: Engineering plastic moulded parts - non corrosive, easy to dismantle, clean, disinfect and reassemble.
 Capacity: vacuum - 600 mm Hg \pm 10 with avg. stroke volume of 200 ml.
 Jar: Autoclavable 1 X 1 ltr. jar (Polycarbonate)
 Tubing: 8 mm ID X 2 mtr. (Silicon),
 Vacuum Gauge: Bourden type, 5 cms 0 - 760 mm Hg
 Dimension & Weight: 32 x 17 x 30 cms. 2.5 kg.
 Portable pedal unit with top view manometer visible to the operator.
 Bacterial filter (0.3 micron with single use / autoclavable housing)
 Ease of operation



GST 4 Manual Suction Unit

Twin bottle portable foot suction with efficient piston to create up to 600 mm Hg vacuum.



GST 5 Slow Suction Unit

Single 1.5 ltrs bottle creates up to 400 mm Hg vacuum.

GST 501

Swedish model available in set of 3 / 4 cups (dia 30, 40, 50 & 60mm) in a wire mesh hanger model.



Vacuum Extractor 501



Vacuum Extractor 502

GST 502

Regular model available in set of 3 / 4 cups (dia 30, 40, 50 & 60mm) in velvet lining carry box.



Stainless Steel Autoclaves

Available In Electric And Non Electric Models In Two Sizes :

- 30 x 30 cms
- 30 x 35 cms

Seamless construction ensures bacteria free environment the unit is fitted with pressure gauge, safety valve & with rotational lid locking device with rubber gasket.



GST 110



GST 102

Aluminium Autoclaves Series 200

Available In Electric And Non Electric Models In Various Sizes

Model	Size	Description
211	22.5 X 16cms	N/ E only
212	22.5 x 27.5cms	N/ E only
215	30 x 30cms	Winged nuts
217	30 x 30cms	Rotational lid
219	30 x 35cms	Winged nuts
225	30 x 65cms	Epoxy coated
226	30 x 65cms	Bright finish



GST 215



GST 225

Seamless construction ensures bacteria free environment. The unit is fitted with pressure gauge, safety valve (weighted) pressure release valve & rubber gasket for seamless / leak proof fitting.





Aluminum Autoclave
GST 212

Size : 22.5 x 27.5
Non Electric only, Pressure cooker type



Aluminum Autoclave
GST 217

Size :30 x 30 with rotational Lid
Non Electric only, Pressure cooker type



Electric Water Sterilizer

Stainless steel water boiling sterilizer are available both in seamless & jointed construction in various options such as non-electric, electric, automatic water cut off, thermostat control & auto tray lifting.



GST 301

Autoclaves
Stainless Steel Double Walled Jointed

GST 301 : Jointed double walled high pressure stainless steel sterilizer / autoclave. Available in various sizes.

Also Custom Made To Specifications

Binocular Microscope Student Series

Model GST -1 Binocular Microscope is of entirely latest design of superb quality and excellent craftsmanship for unprecedented performance. Its precise and international standards and dimensions presents a magic appearance and matchless superiority in performance. The high quality parafocaled optical components give an excellent brighter and sharp image and are highly corrected for chromatic aberration and assure highest resolution & flatness of field required for various research and clinical work.

TECHNICAL FEATURES:

- Very superior Indian, with international standards, Binocular head rotatable through 360° and interchangeable for Trinocular, or Monocular, or straight tubes.
- Extra large stage of 130 x 130 mm, providing ample space, with a detachable mechanical stage of extra superior quality. Fine adjustable graduated 0-50 knob for slow motion and separate double -knobs for coarse movements. Extra heavy revolving nose piece of international Threadings, with positive click stop giving frictionless, uniform and accurate alignment.
- Double lens, best superior Abbe condenser with iris diaphragm and swing out filter holder focussed by rack and pinion substage.
- Heavy sturdy stable base having a built in base illumination built in 12 V to 21V.
- Enclosed rack and pinion in dust and dirt proof enclosure. Present coarse rack lock saves valuable slides and objectives.
- Complete, fitted in durable plywood storing cabinet with apartments for optics.
- Mechanical stage graduated for silde.



MODEL GST-1

Student Microscope

Model GST -4 Student Microscope Fixed Condensor is a general Student Microscope which finds a wide application for students of Biological, Medical and Agricultural Institutions with the following features.

TECHNICAL FEATURES:

- Heavy Pattern. Versatile designed monocular body; 90° inclinable with a V-shape base; Total Height 32 cm.
- Mechanical tube length 160 ± 1 mm. Interior dia. 40 mm.
- Rack and pinion coarse motion and lever type fine adjustment.
- Coarse focus range 25 mm. Fine focus range 2 mm.
- Triple revolving nose piece with positive click stop.
- Square specimen stage size 120 mm x 120 mm.
- Two lens Abbe condensor N.A. 120 with continuously variable iris diaphragm and swingout filter-holder. Safety stopper, prevents damage to slide and objectives.
- A standard plano-concave mirror in fork replaceable by a sub-stage microscope lamp. Complete with plywood storing cabinet having provision for placing micro-optics.



GST-4





GST-2

Inclined Microscope

Most Convenient for general Laboratory Research, Hospital and Pathology, Heumatology, Bacteriology & Medicine work.

Technical Features:

Inclined monocular tube, rotatable through 360° and interchangeable for a Binocular Head or Vertical tube for micro-photography. Fine adjustment through graduated knob.

Quadruple revolving nose piece with positive click stop, bearing mounted for smooth, accurate alignment.

Large rectangular stage, size 130mm x 130 mm, with an attachable mechanical stage with co-axial adjustment for slide manipulation.

Two Lens Abbe Condenser with iris-diaphragm and swingout filter holder, focussed by rack and pinion substage.

Heavy oblong sturdy base having a built in base illumination on 220 volts AC direct mains with special eccentric ring-setting for light.

Enclosed rack and pinion prevents wear due to dust and dirt. Present coarse rack lock prevents damage to valuable slides and objectives.

Complete with a beautiful storing cabinet having provision for placing micro-optics.

Stereoscopic Microscope

Magnifications 25x or 35x, further extension possible.

The stereoscopic microscope is suitable for innumerable specific applications where stereoscopic vision viz. a three dimensional, erect image is required.

Technical Features:

Strong microscope stand of medium size with built in carrying handle sturdy base and modern finish.

Binocular head is of straight type and interpupillary distance of each tube can be adjusted within 50 mm -75

Image focussing by means of rack and pinion.

Long working distance allows convenient working.

Large stage with black and white plate and 2 clips to hold the specimen.

Polished wooden cabinet with lock, keys and carrying handle.



GST-3

Model GST - 1A Binocular Microscope is same as GST - 1 but with co-axial mechanical stage

Technical Features:

Very superior Indian, with international standards, Binocular head rotatable through 360° and interchangeable for Trinocular, or Monocular, or straight tubes.

Extra large stage of 130 x 130 mm, providing ample space, with a co-axial mechanical stage of extra superior quality.

Fine adjustable graduated 0-50 knob for slow motion and separate double knobs for coarse movements. Extra heavy revolving nose piece of international Threadings, with positive click stop giving frictionless, uniform and accurate alignment.

Double lens, best superior Abbe condenser with iris diaphragm and swing out filter holder focussed by rack and pinion substage.

Heavy stable base having a built in base illumination built in 12 V to 21V.

Enclosed rack and pinion in dust and dirt proof enclosure. Present coarse rack lock saves valuable slides and objectives.

Complete, fitted in durable plywood storing cabinet with apartments for optics.

Mechanical stage graduated for slide superior.

GST-1B

Same as GST - 1 but with co-axial mechanical stage and co-axial fuse /co-axial focusing.



GST-1A





Hot water Bot



Ice Bag Round



Ice Bag Oval



Ice Bag Thorat



Air Cushions



Bellows



Douche Bag



Self Enema Syringe



Chloroform Bellows





Ring Pessary Inflated



Ring Pessary Red



Ring Pessary Black



Ring Pessary Silicon



Silicon Vaginal Ring Pessary



E C G Electrode Bulbs



Mouth Gag



Corrugated Rubber Tube



Rebreathing Bag




Comugated Ruber Sheet



Mackimosh Sheeting



Poltizer Bag





Ryles Tube



Lavine Tube



Douche Tube



iR.Tubing



Nelaton Catheters



Depezer Catheters



Malecot's Catheters



Kellys Douche Pad



Magil Endotracheal Tube



Rectal Tube




Asepta Syringe




Vaginal Douche Spray



Infnt Syringe 20z





B.P. Armlet Bag With Two Tubes



Blood Pressure Bulbs




Pippet Bulbs



Stomach Tube



Brest Pump



Ear Syringe



WATER BED



Water Bed

We Care For Your Health

- Materials** : Made from finest Ribberzied fabrics.
- Size** : 200x90x15 cm
- Colour** : Various Elegant Prints
- Application** : for Prevention of Back sore for Bed Ridden Patients. With Water Inlet



Air Mattress

With Beautiful Look & Maximum Comfort.



AIR CUSION

- Materials** : Made from finest Ribberzied fabrics.
- Size** : 35, 41 & 45 cm dia
- Colour** : various



ICE BAG

- Materials** : Made from finest Ribberzied fabrics. 22.5, 27.5 & 33 cm dia
- Size** : Various
- Colour** :





Forceps



Scissors



Surgical Instruments Set



- * Dressing Instrument Set
- * Minor Surgery Set
- * Delivery Instrument Set
- * Abortion Instrument Set
- * Suturing Instrument Set
- * Episiotomy Instrument Set
- * D & C Instrument Set
- * Amputation Set
- * E.N.T. Instrument Set
- * Dental Extraction Set
- * Dissecting Set



Vaginal Speculum
Graves



Vaginal Speculum
CuCus



Vaginal Speculum
Sims



Paramount Warehouse



United Poly Engg.



Heuer SEZ



GST Gurgaon Factory



Paramount H.O.




Paramount Blades Factory



Warehouse



GST New Delhi



ISO 9001:2015 ISO 13485:2016 WHO-GMP



G.S.T. Corporation Ltd.

B-13, Okhla Industrial Area, Phase 2,
New Delhi-110020 (INDIA)
Tel : (91-11) 46434444, fax (91-11) 46434433
E-mail : gstc@gstc.com
Website : www.gstc.com

